U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECT	FOR INSURANCE COMPANY USE		
A1. Building Owner's Name R & R Mobile Home Parl	Policy Number:		
A2. Building Street Address (including Apt., Unit, Suite, and 4606 Daniel Road			Company NAIC Number:
City Myrtle Beach		e SC	ZIP Code 29588
A3. Property Description (Lot and Block Numbers, Tax Parci Lot 63 R & R Mobile Home Park			Stroke 16
A4. Building Use (e.g., Residential, Non-Residential, Addition A5. Latitude/Longitude: Lat. 33-43-19.8"	л, Accessory, etc.) Reside Long. <u>79-02-06.5"</u>		al Datum: 1927 NAD 1983
A6. Attach at least 2 photographs of the building if the Cer A7. Building Diagram Number 5			an Dattimin 1 1983
A8. For a building with a crawlspace or enclosure(s):	N/4	A9. For a building with an	attached garage:
Square footage of crawlspace or enclosure(s)	N/A sq ft	a) Square footage of	
 b) Number of permanent flood openings in the crawlsp or enclosure(s) within 1.0 foot above adjacent grade 	e IN/A		nent flood openings in the attached garage ove adjacent grade N/A
c) Total net area of flood openings in A8.b	N/A sq in	c) Total net area of fl	ood openings in A9.b N/A sq in
d) Engineered flood openings? ☐ Yes ☒ No		d) Engineered flood of	openings? 🗌 Yes 🛛 No
SECTION B - FLOO	D INSURANCE RATE I	MAP (FIRM) INFORMAT	rion
B1. NFIP Community Name & Community Number Horry County 450104	B2. County Nam Horry County	e	B3. State SC
B4. Map/Panel Number B5. Suffix B6. FIRM Index		Effective B8. Flood Zon	
45051C0660 H 09/17/20	Revised Dat	e /	AO, use base flood depth) 5.0
B10. Indicate the source of the Base Flood Elevation (BFE) of		tered in Item B9:	
☐ FIS Profile ☐ FIBM ☐ Community Determined		(5 4 5 6 5 F 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
B11. Indicate elevation datum used for BFE in Item B9: B12. Is the building located in a Coastal Barrier Resources S		/D 1988 Other/Sour	
Designation Date:/ CBI	•	erwise Protected Area (OPA)	? ∐Yes Mano
		AATIAN (AND) ITO (DEA)	
· · · · · · · · · · · · · · · · · · ·		MATION (SURVEY REQU	
C1. Building elevations are based on: Construction *A new Elevation Certificate will be required when cons	truction of the building is o		☑ Finashed Construction
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized; SC VRS Network	ed in Item A7. In Puerto Ri	co only, enter meters.	I/AH, AR/AO. Complete Items
		Datum: NAVD 88	
Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a		-	
a) Top of bottom floor (including basement, crawlspace		45 2	measurement used.
b) Top of the next higher floor			
c) Bottom of the lowest horizontal structural member (V Zones only)	N/A 🔀 fe	-
d) Attached garage (top of slab)		N/A . ⊠ fe	_
 e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commet 			
f) Lowest adjacent (finished) grade next to building (LA	•		
 g) Highest adjacent (finished) grade next to building (H h) Lowest adjacent grade at lowest elevation of deck of 	•	11 . 5 ⊠ fe	
structural support	r stairs, microding	<u>N/A</u> ✓ _	
		ARCHITECT CERTIFICA	
This certification is to be signed and sealed by a land surveyon information. I certify that the information on this Certificate replayed I understand that any false statement may be punishable by fir	presents my best efforts to	nterpret the data available.	vation Till All Till
▼ Check here if comments are provided on back of form.		de in Section A provided by	a
Check here if attachments.	licensed land surveyor?	⊠ Yes □ No	VVIII UT X W
Certifier's Name W.B. Huntley III	V	License Number 8809	
Title RLS	Company Name Huntley and Associat	es, Inc.	
Address 7760 Fallen Timber Dr.	City Myrtle Beach	State ZIP Code	
Signature Signature	Date	SC 29588 Telephone	24. CV 16. CV
11/1/2///3 41/1	01/06/2015	(843) 238-8745	

ELEVATION CERTIFICATE, page 2

Building Sireer Address (including Acs. Unit, Suite, and/or Bligh, Ro.) or 80. Payde and Box No. Section Reach Section Se	IMPORTANT: In these spaces, copy the corre	sponding information from Sect	lon A.		FOR INSURANCE COMPANY USE
Section P - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) #21125 Coay beth sides of this Elevation Certificate for f21 community offest. (2) insurance agent/company, and (3) building owner. Comments Machinery servicing building in C2e is air conditioning. Section P - Building in C2e is air conditioning. Section N = Building in C2e is air conditioning. Section N = Building Elevation (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), demoite tiems \$165. If the Certificate is intended to support a LOMA or LOMA's request, complexe Sections A. 8 and C. For Items \$115. or enturing itsued. If available, the low measurement used in Puror Recounting in Puror Recounting itsued (AG), a) Top of bottom floor (including busement, crealspase, or enclosure) is serviced in the puror recounting itsued (AG), a) Top of bottom floor (including busement, crealspase, or enclosure) is serviced in the puror recommendation of the following and check the appropriate boxes to show whether the elevation is above or below the HAG, a) Top of bottom floor (including busement, crealspase, or enclosure) is serviced in the puror recommendation of the following and check the appropriate boxes to show whether the elevation is above or below the HAG, a) Top of bottom floor (including busement, crealspase, or enclosure) is serviced in the puror recommendation of the community of the co	, ,	Suite, and/or Bldg. No.) or PO. Ro	ute and Box No.		Policy Number:
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) SECTION Security (Comments Machinery servicing building in C2s is air conditioning. Date 01/06/2015 SECTION E - BUILDING ELYKATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), demands the End Security (Comments and Comments and Commen	City				Company NAIC Number:
Comments Machinery servicing building in C2e is air conditioning. Date O1/06/2015				DTICIOATION (C)	ONTINUED) #21125
Signature					
Signature Section E - Sulfuing ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), amphiete Items EL-EB. If the Certificate is intended to support a LOMA or LOMAF request, complete Sections A. B. and C. For Items EL-Ed, use natural grade, if available, Check the measurement used, in Puerto Ricc only, enter meters. EL-Proude elevation information for the following and check the appropriate bose to show whether the elevation is above or below the highest adjacent grade (LAG). 9) Top of bottom floor (including basement, crawlapace, or enclosure) is feet meters above or below the HAG. 9) Top of bottom floor (including basement, crawlapace, or enclosure) is feet meters above or below the HAG. 12, For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG. 24. Top of platform of machinery and/or equipment servicing the building is feet meters above or below the HAG. 25. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management orotinance? with the community's floodplain management provided property owner or owner's Authorized representative shown a control to the best of my knowledge. Section 6 - Community in Feet with the community's floodplain management provided great provided for community floodplain management upons and the property owner or owner's Authorized by live to certify elevation informat		· · · · · · · · · · · · · · · · · · ·	Janes agony comp		,v.,
SECTION E - BUILDING ELIVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), Smplete terms £1-£5. If the Certificate is intended to support a LOMA or LOWER Frequest, complete Sections A, B, and C, For Items £1-£6, we natural grade (#A1) and the lowest displacent grade (#A3) and the lowest displacent grade (#A3). EL. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (#A3) and the lowest displacent grade (#A3) and the lowest displacent grade (#A3). a) Top of bottom floor (including basement, crawlspace, or enclosure) is		/			
SECTION E — BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), Smipler eterns £1-£5. If the Certificate is intended to support a LOMA or LOMA F request, complete Sections A, B, and C, For Items £1-£6, if the Certificate is intended to support a LOMA or LOMA F request, complete Sections A, B, and C, For Items £1-£6, if the Certificate is intended to support a LOMA or LOMA F request, complete Sections A, B, and C, For Items &1-£6, if the Certificate is intended to support a LOMA or LOMA F request, complete Sections A, B, and E recommendation for the Indian Search Considerable is appropriate boxes to show whether the elevation is above or below the Nights adjacent grade (RAD) and the lowest displacent grade (RAD) assemble, considering a conclusive is a long or feet meters above or below the HAG. B) Top of bottom floor (including basement, crawkspace, or enclosure) is ret meters above or below the LAG. E2. For Building Diagrams 6-9 with parmanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of instructions), the next higher floor (elevation C.2-b in the diagrams) of the building is ret ret meters above or below the HAG. E3. Attached garage (top of slabib) is a retained by the RAG. E4. Top of platform of machinery and/or equipment servicing the building is retail ret		V			
SECTION E - BUILDING ELIVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), Smplete terms £1-£5. If the Certificate is intended to support a LOMA or LOWER Frequest, complete Sections A, B, and C, For Items £1-£6, we natural grade (#A1) and the lowest displacent grade (#A3) and the lowest displacent grade (#A3). EL. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (#A3) and the lowest displacent grade (#A3) and the lowest displacent grade (#A3). a) Top of bottom floor (including basement, crawlspace, or enclosure) is	10. All 1 A				
For Zenes 40 and 4 (without BFE), Amplete learns \$1.4.5. If the Cartificate is introded to support a LDMA or LDMA Frequest, complete Sections A, B and C, for Items \$1.2.4.4, use natural grade, if available, Check the measurement used. In Puerto Ricco only, enter meters. \$1. Provide deviation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG). \$2. Provide deviation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG). \$3. To p of bottom floor (including basement, crawlapace, or enclosure) is	Signature		Date 01/06/2	2015	
For terms ELE4, use natural grade, if available, Check the measurement used, in Puerla Rico only, enter meters. El. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (FAG) and the lowest grade (FAG) and the low	SECTION E - BUILDING ELEVATION	N INFORMATION (SURVEY	NOT REQUIRE	D) FOR ZONE AO	AND ZONE A (WITHOUT BFE)
grade (rAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is	For Items E1–E4, use natural grade, if available	le. Check the measurement used	i. In Puerto Rico d	only, enter meters.	
b) Top of bottom floor (including basement, crawispace, or enclosure) is			oxes to show whe	ther the elevation is	
E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is	· ·			= =	<u> </u>
the next higher floor (elevation C2.b in the diagrams) of the building is					
E3. Attached garage (top of slab) is					
ES. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes	` .			☐ feet ☐ mete	ers 🗌 above or 🔲 below the HAG.
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must statement in Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must statement in Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. Signature					
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name City State Zip Code					e community's floodplain management
Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name City State ZiP Code	SECTION F - P	ROPERTY OWNER (OR OW	NER'S REPRES	SENTATIVE) CER	TIFICATION
Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments SECTION G - COMMUNITY INFORMATION (OPTIONAL) SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodyplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items 68-610. In Puerto Rico only, enter meters. G1.	The property owner or owner's authorized repr	esentative who completes Sections A. R. and E. are correct to	ons A, B, and E for	r Zone A (without a F	EMA-issued or community-issued BFE) o
Signature Date Telephone Comments Check here if attachments.			the best of my k	nomeage.	
SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A. B. C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information, (indicate the source and date of the elevation data in the Comments area below.) G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. G3. The following information (Items G4-G10) is provided for community floodplain management purposes. G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: Heet Meters Datum G9. BFE or (in Zone AO) depth of flooding at the building site: Heet Meters Datum G10. Community's design flood elevation: Local Official's Name Title Community Name Telephone Signature Date Comments	Address	, ., .,	City	Sta	ate ZIP Code
SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G88-G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. G3. The following information (Items G4-G10) is provided for community floodplain management purposes. G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: Heat Return Datum G10. Community's design flood elevation: Heat Return G10. Community's design flood elevation: Heat Return G10. Community is design flood elevation: Heat Return G10. Community is design flood elevation: Heat Return G10. Community Name Telephone	Signature		Date	Te	lephone
SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A. B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. G1.	Comments			· · · · · · · · · · · · · · · · · · ·	
SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. G1.					
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A. B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters. G1.					Check here if attachments.
G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. G1.	was recorded to				
who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2.	The local official who is authorized by law or ord	dinance to administer the communicable item(s) and sign below. O	nity's floodplain ma theck the measure	enagement ordinance ment used in Items (can complete Sections A, B, C (or E), and GB-G10. In Puerto Rico only, enter meters
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. G3. The following information (Items G4–G10) is provided for community floodplain management purposes. G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: G9. BFE or (in Zone AO) depth of flooding at the building site: G10. Community's design flood elevation: G10. Community's design flood elevation: G10. Community Name Title Community Name Telephone Comments	G1. The information in Section C was tal	ken from other documentation the	nat has been sign	ed and sealed by a	ficensed surveyor, engineer, or architec
G3. The following information (Items G4-G10) is provided for community floodplain management purposes. G4. Permit Number	•	·			
G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: feet meters Datum G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters Datum G10. Community's design flood elevation: Title Community Name Telephone Signature Date Comments	_ ,	=	•		, 100000 0. 2, 0. 2010 110
G8. Elevation of as-built lowest floor (including basement) of the building: G9. BFE or (in Zone AO) depth of flooding at the building site: G10. Community's design flood elevation: Local Official's Name Title Community Name Telephone Signature Date	G4. Permit Number	G5. Date Permit Issued	G6	. Date Certificate Of	Compliance/Occupancy Issued
G9. BFE or (in Zone A0) depth of flooding at the building site: G10. Community's design flood elevation: Local Official's Name Title Community Name Telephone Signature Date	_		tial Improvement		_
G10. Community's design flood elevation: Local Official's Name Title Community Name Telephone Signature Date Comments	•	, .			
Local Official's Name Community Name Title Telephone Signature Date Comments		une bunding Site	·		
Community Name Telephone Signature Date Comments			Title		
Signature Date Comments			<u> </u>		
Comments					
☐ Check here if attachments.					Check here if attachments.

Sugar State March Street

ELEVATION CERTIFICATE, page 3

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., l 4606 Daniel Road	Policy Number:			
City Myrtle Beach	State SC	ZIP Code 29588	Company NAIC Number:	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Front

1-6-15



Side